

SAFETY DATA SHEET according to Regulation (EC) No 1907/2006, Annex II

Revision date:05.08.2016Revision number:02MSDS number:IND-0077Page:1/11

PREMSOFT 8000 L

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier Premsoft 8000 L Trade name: 1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture: Manufacture of textiles Uses advised against: No information available at present. 1.3 Details of the supplier of the safety data sheet İndigo Kimya ve Tekstil Sanayi Tic.Ltd.Şti. 0212 486 07 07 **Telephone:** Fax: 0212 486 30 22 info@indigokimya.com.tr e-mail: www.indigokimya.com Web: **Emergency telephone number:** The poison information center 114

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) 1272/2008 (CLP)Hazard classHazard categoryHazard statementResp. Sens.1H334-May cause allergy or asthma symptoms or breathing difficulties if inhaled.

2.1.2 Classification according to Directives 67/458/EEC and 1999/45/EC (including amendments).

Sensitizing, R42

2.2 Label elements



Hazard Statements: H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

- P261- Avoid breathing vapours or spray.
- P284- Wear respiratory protection.

Signal word: Danger P304+P340- IF INHALED: Remove person to fresh air and keep comfortable for . breathing

P342+P311- If experiencing respiratory symptoms: Call a POISON CENTER/doctor.



Revision date:	05.08.2016
Revision number:	02
MSDS number:	IND-0077
Page:	2/11

PREMSOFT 8000 L

2.3 Other hazards

If applicable in this section are given hazards which are not part of the overall classification but can contribute to the hazards which may be associated with the substance or mixture.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance

n.a.

3.2 Mixture

Cellulase	
EINECS, ELINCS, NLP	232-734-4
CAS	Cas 9012-54-8
Content%	1-7
Classification according to Directive 67/548/EEC	Xn, R42
Classification according to Regulation (EC) 1272/2008 (CLP)	Resp. Sens. 1, H334
Enzymatic proteins (by-product, not otherwise specified)	
EINECS, ELINCS, NLP	-
CAS	Cas n.v.
Content%	1-4
Classification according to Directive 67/548/EEC	Xn, R42
Classification according to Regulation (EC) 1272/2008 (CLP)	Resp. Sens. 1, H334
1,2-benzisothiazol-3(2h)-one	
EINECS, ELINCS, NLP	220-120-9
CAS	Cas 2634-33-5
Content%	0,005 -< 0,05
Classification according to Directive 67/548/EEC	Harmful, Xn, R22
	Irritant, Xi, R38
	Irritant, Xi, R41
	Sensitizising, R43
	Dangerous for the environment, N, R50
Classification according to Regulation (EC) 1272/2008 (CLP)	Acute Tox. 4, H302
	Skin Irrit. 2, H315
	Eye Dam. 1, H318
	Skin Sens. 1, H317
	Aquatic Acute 1, H400 (M=10)



Revision date:	05.08.2016
Revision number:	02
MSDS number:	IND-0077
Page:	3/11

PREMSOFT 8000 L

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures Inhalation: Remove person from danger area. Supply person with fresh air and consult doctor according to symptoms. Eye contact: Remove contact lenses. Wash thoroughly for several minutes using copious water. Seek medical help if necessary. Skin contact: Wash thoroughly using copious water-remove contaminated clothing immediately. If skin irritation occurs (redness etc.), consult doctor. Ingestion: Rinse the mouth thoroughly with water. Give copious water to drink. Consult doctor if necessary. 4.2 Most important symptoms and effects, both acute and delayed

irritation of the eyes

With long-term contact:

Irritation of the skin.

Sensitive individuals:

Allergic reaction

In case of sensitivity, concentrations below the limit value may already result in asthmatic symptoms.

Respiratory distress

Delayed effects from exposure can be expected.

4.3 Indication of any immediate medical attention and special treatment needed

n.c.

SECTION 5: FIRE-FIGHTING MEASURES

5.1 Suitable extinguishing media:
Water jet spray/alcohol resistant foam/CO2/dry extinguisher
5.2 Special hazards arising from the substance or mixture
In case of fire the following can develop:
Oxides of carbon
Oxides of nitrogen
Toxic pyrolysis products.
5.3 Advice for firefighters
In case of fire and /or explosion do not breathe fumes.

Protective respirator with independent air supply.



Revision date:05.08.2016Revision number:02MSDS number:IND-0077Page:4/11

PREMSOFT 8000 L

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Ensure sufficient supply of air. Avoid inhalation, and contact with eyes or skin. If applicable, caution-risk of slipping

6.2 Environmental precautions

If leakage occurs, dam up. Prevent from entering drainage system.

Inform the competent authorities when water or canalisation has been infiltrated.

6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth, sawdust) and dispose of according to Section 13.

Flush residue using copious water. Clean soiled bottles immediately.

6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Ensure good ventilation. Eating, drinking, smoking, as well as food-storage, is prohibited in work-room. No contact with products of this type in case of allergies, asthma and chronic respiratory tract disorders. Observe directions on label and instructions for use. Use working methods according to operating instructions. General hygiene measures for the handling of chemicals are applicable. Wash hands before breaks and at end of work. Keep away from food, drink and animal feedingstuffs. Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities

Keep out of access to unauthorised individuals. Store product closed and only in original pcking. Not to be stored in gangways or stair wells. Store cool. Do not store over 10 °C.

7.3 Specific end use(s)

not determined

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.



Revision date:	05.08.2016
Revision number:	02
MSDS number:	IND-0077
Page:	5/11

PREMSOFT 8000 L

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn.

Applies only if maximum permissible exposure values are listed here.

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are listed here.

Wash hands before breaks and at end of work.

Keep away from food, drik and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye protection:	Tight fitting protective goggles with side protection (EN 166)
Hand protection:	Rubber gloves (EN 374)
	Protective nitrile gloves (EN 374)
Skin protection:	Protective working garments (e.g. Safety shoes EN ISO 20345,
	long-sleeved protective working garments)
Respiratory protection:	Normally not necessary.
	If fumes build up, use suitable breathing mask.
	with formation of mist.
	Filter A2P2 (EN 14387), code clour brown, white
	Observe wearing time limitations for respiratory protection equipment.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	Dark brown
Odour:	Characteristic
pH:	4.5 ± 0.5
Melting point:	not determined
Flash point:	not determined
Evaporation rate:	not determined
Viscosity:	not determined
Solubility in water:	Not determined
9.2 Other information	
Miscibility:	Not determined
Fat solubility/solvent:	Not determined
Conductivity:	Not determined



Revision date:	05.08.2016
Revision number:	02
MSDS number:	IND-0077
Page:	6/11

PREMSOFT 8000 L

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

The product has not been tested.

10.2 Chemical stability

Stable with proper storage and handling.

10.3 Possibility of hazardous reactions

No dangerous reactions are known.

No decomposition if used as intended.

10.4 Conditions to avoid

See also section 7.

Strong heat

10.5 Incompatible materials

Avoid contact with other chemicals. Avoid contact with oxdizig agents. Avoid contact with strong alkalis.

Avoid contact with strong acids.

10.6 Hazardous decomposition products

See also section 5.2

No decomposition when used as directed.

SECTION 11: TOXICOLOGICAL INFORMATION

PREMSOFT 8000 L						
Toxicity/effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:						n.d.a
Acute toxicity, by dermal route:						n.d.a
Acute toxicity, by inhalation:						n.d.a
Skin corrosion/irritaiton:						n.d.a
Serious eye damage/irritation:						n.d.a
Respiratory or skin sensitisation:						n.d.a
Germ cell mutagenicity:						n.d.a
Carcinogenicity:						n.d.a
Reproductive toxicity						n.d.a
Specific target organ toxicity-						n.d.a
single exposure (STOT-SE):						
Specific target organ toxicity-						n.d.a
repeated exposure (STOT-RE):						
Aspiration hazard:						n.d.a
Respiratory tract irritation:						n.d.a
Repeated dose toxicity:						n.d.a
Symptoms:						n.d.a



Revision date:	05.08.2016
Revision number:	02
MSDS number:	IND-0077
Page:	7/11

PREMSOFT 8000 L

Cellulase						
Toxicity/effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	> 2000	mg/kg	Rat		
Skin corrosion/irritation:					OECD 404 (Acute dermal Irritaiton)	Not irritant
Serious eye damage/irritation:					OECD 405 (Acute eye Irritaiton/Corrosion)	Not irritant
Respiratory or skin sensitisation:						Yes (inhalation) Experiences on persons
Germ cell mutagenicity:					OECD 471 (Bacterial Reverse Mutation test	Negative
Aspiration hazard:						No
Symptoms:						asthmatic symptoms, bretahing difficulties

1,2-benzisothiazol-3(2H)-one						
Toxicity/effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	375	mg/kg	Rat		
Acute toxicity, by oral route:	ATE	500	mg/kg			
Acute toxicity, by dermal route:	LD50	4115	mg/kg	Rat		
Acute toxicity, by inhalation:	LC50	0,25	mg/l/4h	Rat		Dust does not conform with EU classification
Skin corrosion/irritaiton:						Irritant
Serious eye damage/irritation:						Intensively irritant
Respiratory or skin sensitisation:				Guinea pig		Sensitizing (skin contact)
Germ cell mutagenicity:						Negative



05.08.2016
02
IND-0077
8/11

PREMSOFT 8000 L

Symptoms:			vomiting,
Symptoms.			headaches,
			gastrointestin
			al
			disturbances,
			nausea

SECTION 12: ECOLOGICAL INFORMATION

PREMSOFT 8000 L							
Toxicity/effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
Toxicity to fish							n.d.a
Toxicity to daphnia							n.d.a
Toxicity to algae							n.d.a
Persistence and							
degradability							n.d.a
Bioaccumulative							
potantial							n.d.a
Mobility in soil							n.d.a
Result of PBT and vPvB							
asssessment							n.d.a
Other adverse effects							n.d.a

Cellulase							
Toxicity/effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
Toxicity to fish	LC50	96h	>39,5	mg/l		OECD 203 (fish,acute	
						toxicity test)	
Toxicity to daphnia	EC50	48 h	>39,5	mg/l		OECD 202 (daphnia sp.	
						Acute immobilisaiton	
						test)	
Persistence and						OECD 301 B (Ready	Readily
degradability						biodegradability- Co2	biodegradable
						evolution test)	
Bioaccumulative	Log Pow		<0				
potantial							



Revision date:	05.08.2016
Revision number:	02
MSDS number:	IND-0077
Page:	9/11

PREMSOFT 8000 L

1,2-benzisothiazol-3(2	H)-one						
Toxicity/effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
Toxicity to fish	LC50	96 h	1,3-1,6	mg/l	Salmo gairdneri		
Toxicity to fish	LC50	96 h	2,18	mg/l	Oncorhynchus mykiss	OECD 203 (fish,acute toxicity test)	
Toxicity to fish	LC50	96 h	3,4	mg/l	Lepomis macrochirus		
Toxicity to daphnia	EC50	48 h	1,5-3,3	mg/l	Daphnia magna	OECD 202 (daphnia sp. Acute immobilisait on test)	
Toxicity to algae	EC50	72 h	0,11	mg/l	Pseudokirchnerie IIa subcapitata	OECD 201 (Alga,Growth Inhibition test)	
Toxicity to algae	EC50	72 h	0,15	mg/l	Chlorella vulgaris		
Toxicity to algae	EC50	96 h	0,055	mg/l	Pseudokirchnerie IIa		
Bioaccumulative potantial	Log Pow		1,11				A notable biological accumaulatio n potential is not to be exoected (LogPow 1-3)
Toxicity to bacteria	EC50	16 h	0,4	mg/l	Psedumonas putida		

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Move disposal of waste in accordance with national legislation. Move containers for waste disposal in accordance with regulations.

SECTION 14: TRANSPORT INFORMATION

General statements

UN-Number: n.a.



Revision date:	05.08.2016
Revision number:	02
MSDS number:	IND-0077
Page:	10/11

PREMSOFT 8000 L

Transport by road/by rail (ADR/RID)

UN proper shipping name:					
Transport hazard class(es):	n.a.				
Packing grou	n.a.				
Classification code:	n.a.				
LQ (ADR 2013):	n.a.				
LQ (ADR 2009):	n.a.				
Environmental hazards:	n.a.				
Tunnel restriction code:	Not applicable				
Transport by sea (IMDG-code)					
UN proper shipping name:					
Transport hazard class(es):	n.a.				
Packing group:	n.a				
Marine Pollutant:	n.a				
Environmental hazards:	Not applicable				
Transport by air (IATA)					
UN proper shipping name:					
Transport hazard class(es):	n.a.				
Packing group:	n.a.				
Environmental hazards:	Not applicable				
Special precautions for user					
Unless specified otherwise, general measures for safe transport must be followed.					
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code					
Non-dangerous material according to Transport Regulations.					

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

For classification and labelling see Section 2. Observe restrictions: Comply with trade association/occupational health regulations.

SECTION 16: OTHER INFORMATION

These details refer to the product as it is delivered.

Classificaiton in accordance with regulation (EC) No	Evaluation method used
Resp. Sens. 1, H334	Classification according to calculation procedure



Revision date:	05.08.2016
Revision number:	02
MSDS number:	IND-0077
Page:	11/11

PREMSOFT 8000 L

The following phrases represent the posted R phrases / H phrases, Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

- 22 Harmful if swallowed.
- 38 Irritating to skin.
- 41 Risk of serious damage to eyes.
- 42 May cause sensitization by inhalation.
- 43 May cause sensitization by skin contact.
- 50 Very toxic to aquatic organisms.
- H302 Harmful if swallowed.
- H315 Causes skin irritation.

ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road)

- AOX Adsorbable organic halogen compounds approx.
- CAS Chemical Abstracts Service
- DMEL Derived Minimum Effect Level
- DNEL Derived No Effect Level
- GHS Globally Harmonized System of Classification and Labelling of Chemicals
- IATA International Air Transport Association
- IMDG-code International Maritime Code for Dangerous Goods
- LC50 Lethal concentration 50 percent kill
- LD50 Lethal Dose, 50% kill
- MARPOL International Convention for the Prevention of Marine Pollution from Ships
- PBT Persistent, bioaccumulative and toxic
- RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses
 - (= Regulation concerning the International Carriage of Dangerous Goods by Rail)
- SVHC Substances of Very High Concern
- vPvB Very persistent and very bioaccumulative

Information in this MSDS are based on our current knowledge and the only possible use includes safety requirements. This information does not guarantee any property. To comply with applicable laws and regulations with the product / the responsibility of the wearer.