

Revision date: 05.08.2016
Revision number: 01
MSDS number: IND-0081
Page: 1/11

PREMSOFT AA 150**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING****1.1 Product identifier**

Trade name: Premsoft Aa 150

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture:

Manufacture of textiles

Uses advised against

No information available at present.

1.3 Details of the supplier of the safety data sheet

İndigo Kimya ve Tekstil Sanayi Tic.Ltd.Şti.

Telephone: 0212 486 07 07

Fax: 0212 486 30 22

e-mail: info@indigokimya.com.tr

Web: www.indigokimya.com

Emergency telephone number: The poison information center 114

SECTION 2: HAZARDS IDENTIFICATION**2.1 Classification of the substance or mixture****2.1.1 Classification according to Regulation (EC) 1272/2008 (CLP)**

Hazard class	Hazard category	Hazard statement
Resp. Sens.	1	H334-May cause allergy or asthma symptoms or breathing difficulties if inhaled.

2.1.2 Classification according to Directives 67/458/EEC and 1999/45/EC (including amendments).

Sensitizing, R42

2.2 Label elements**2.2.1 Labeling according to Regulation (EC) 1272/2008 (CLP)**

Danger

H334- May cause allergy or asthma symptoms or breathing difficulties if inhaled.
P261- Avoid breathing vapours or spray.
P284- Wear respiratory protection.
P304+P340- IF INHALED: Remove person to fresh air and keep comfortable for .
breathing
P342+P311- If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

2.3 Other hazards

If applicable in this section are given hazards which are not part of the overall classification but can contribute to the hazards which may be associated with the substance or mixture.

SAFETY DATA SHEET

Revision date: 05.08.2016
Revision number: 01
MSDS number: IND-0081
Page: 2/11

PREMSOFT AA 150

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance

n.a.

3.2 Mixture

Cellulase	
EINECS, ELINCS, NLP	232-734-4
CAS	Cas 9012-54-8
Content%	1-5
Classification according to Directive 67/548/EEC	Sensitizing, R42
Classification according to Regulation (EC) 1272/2008 (CLP)	Resp. Sens. 1, H334

Enzymatic proteins (by-product, not otherwise specified)	
EINECS, ELINCS, NLP	–
CAS	Cas n.v.
Content%	1-5
Classification according to Directive 67/548/EEC	Sensitizing, R42
Classification according to Regulation (EC) 1272/2008 (CLP)	Resp. Sens. 1, H334

1,2-benzisothiazol-3(2h)-one	
EINECS, ELINCS, NLP	220-120-9
CAS	Cas 2634-33-5
Content%	0,0015 -< 0,015
Classification according to Directive 67/548/EEC	Harmful, Xn, R22 Irritant, Xi, R38 Irritant, Xi, R41 Sensitizing, R43 Dangerous for the environment, N, R50
Classification according to Regulation (EC) 1272/2008 (CLP)	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 (M=10)

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation: Remove person from danger area.
Supply person with fresh air and consult doctor according to symptoms.

Revision date: 05.08.2016
Revision number: 01
MSDS number: IND-0081
Page: 3/11

PREMSOFT AA 150

Eye contact: Remove contact lenses.
Wash thoroughly for several minutes using copious water.
Seek medical help if necessary.

Skin contact: Wash thoroughly using copious water-remove contaminated clothing immediately.
If skin irritation occurs (redness etc.), consult doctor.

Ingestion: Rinse the mouth thoroughly with water.
Give copious water to drink. Consult doctor if necessary.

4.2 Most important symptoms and effects, both acute and delayed

irritation of the eyes

With long-term contact:

Irritation of the skin.

Sensitive individuals:

Allergic reaction

In case of sensitivity, concentrations below the limit value may already result in asthmatic symptoms.

Respiratory distress

Delayed effects from exposure can be expected.

4.3 Indication of any immediate medical attention and special treatment needed:

n.c.

SECTION 5: FIRE-FIGHTING MEASURES

5.1 Suitable extinguishing media:

Water jet spray/alcohol resistant foam/CO2/dry extinguisher

Unsuitable extinguishing media High volume water jet.

5.2 Special hazards arising from the substance or mixture:

In case of fire the following can develop:

Oxides of carbon

Oxides of nitrogen

Toxic pyrolysis products.

5.3 Advice for firefighters

In case of fire and /or explosion do not breathe fumes.

Protective respirator with independent air supply.

Revision date: 05.08.2016
Revision number: 01
MSDS number: IND-0081
Page: 4/11

PREMSOFT AA 150

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Ensure sufficient supply of air. Avoid inhalation, and contact with eyes or skin. If applicable, caution-risk of slipping

6.2 Environmental precautions

If leakage occurs, dam up. Prevent from entering drainage system.
Inform the competent authorities when water or canalisation has been infiltrated.

6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth, sawdust) and dispose of according to Section 13.

Flush residue using copious water. Clean soiled bottles immediately.

6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Ensure good ventilation. Eating, drinking, smoking, as well as food-storage, is prohibited in work-room. No contact with products of this type in case of allergies, asthma and chronic respiratory tract disorders. Observe directions on label and instructions for use. Use working methods according to operating instructions. General hygiene measures for the handling of chemicals are applicable. Wash hands before breaks and at end of work. Keep away from food, drink and animal feedingstuffs. Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities

Keep out of access to unauthorised individuals. Store product closed and only in original pcking. Not to be stored in gangways or stair wells. Store cool. Do not store over 10 °C.

7.3 Specific end use(s)

No information available at present.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

—

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.

Revision date: 05.08.2016
Revision number: 01
MSDS number: IND-0081
Page: 5/11

PREMSOFT AA 150

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn.

Applies only if maximum permissible exposure values are listed here.

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are listed here.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye protection: Tight fitting protective goggles with side protection (EN 166)

Hand protection: Rubber gloves (EN 374)

Protective nitrile gloves (EN 374)

Skin protection: Protective working garments (e.g. Safety shoes EN ISO 20345, long-sleeved protective working garments)

Respiratory protection: Normally not necessary.

If fumes build up, use suitable breathing mask.
with formation of mist.

Filter A2P2 (EN 14387), code colour brown, white

Observe wearing time limitations for respiratory protection equipment.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Liquid

Colour: Light brown

Odour: Characteristic

pH: 4.5 ± 0.5

Solubility in water: Not determined

Melting point/freezing point: Not determined

Initial boiling point and boiling range: Not determined

Flash point: Not determined

Evaporation rate: Not determined

Water solubility: Mixable

Viscosity: Not determined

9.2 Other information

Miscibility: Not determined

Fat solubility / solvent: Not determined

Conductivity: Not determined

Revision date: 05.08.2016
 Revision number: 01
 MSDS number: IND-0081
 Page: 6/11

PREMSOFT AA 150
SECTION 10: STABILITY AND REACTIVITY
10.1 Reactivity

The product has not been tested.

10.2 Chemical stability

Stable with proper storage and handling.

10.3 Possibility of hazardous reactions

No dangerous reactions are known.

No decomposition if used as intended.

10.4 Conditions to avoid

See also section 7.

Strong heat

10.5 Incompatible materials

Avoid contact with other chemicals. Avoid contact with oxidizing agents. Avoid contact with strong alkalis.

Avoid contact with strong acids.

10.6 Hazardous decomposition products

See also section 5.2

No decomposition when used as directed.

SECTION 11: TOXICOLOGICAL INFORMATION

Possibly more information on health effects, see section 2.1 (classification).

PREMSOFT AA 150						
Toxicity/effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:						n.d.a
Acute toxicity, by dermal route:						n.d.a
Acute toxicity, by inhalation:						n.d.a
Skin corrosion/irritation:						n.d.a
Serious eye damage/irritation:						n.d.a
Respiratory or skin sensitisation:						n.d.a
Germ cell mutagenicity:						n.d.a
Carcinogenicity:						n.d.a
Reproductive toxicity						n.d.a
Specific target organ toxicity- single exposure (STOT-SE):						n.d.a
Specific target organ toxicity- repeated exposure (STOT-RE):						n.d.a
Aspiration hazard:						n.d.a
Respiratory tract irritation:						n.d.a
Repeated dose toxicity:						n.d.a
Symptoms:						n.d.a

SAFETY DATA SHEET

Revision date: 05.08.2016
 Revision number: 01
 MSDS number: IND-0081
 Page: 7/11

PREMSOFT AA 150

Cellulase						
Toxicity/effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	> 2000	mg/kg	Rat		
Skin corrosion/irritation:					OECD 404 (Acute dermal Irritation)	Not irritant
Serious eye damage/irritation:					OECD 405 (Acute eye Irritation/Corrosion)	Not irritant
Respiratory or skin sensitisation:						Yes (inhalation) Experiences on persons
Germ cell mutagenicity:					OECD 471 (Bacterial Reverse Mutation test)	Negative
Aspiration hazard:						No
Symptoms:						asthmatic symptoms, breathing difficulties

1,2-benzisothiazol-3(2H)-one						
Toxicity/effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	375	mg/kg	Rat		
Acute toxicity, by oral route:	ATE	500	mg/kg			
Acute toxicity, by dermal route:	LD50	4115	mg/kg	Rat		
Acute toxicity, by inhalation:	LC50	0,25	mg/l/4h	Rat		Dust does not conform with EU classification
Skin corrosion/irritation:						Irritant
Serious eye damage/irritation:						Intensively irritant
Respiratory or skin sensitisation:				Guinea pig		Sensitizing (skin contact)
Germ cell mutagenicity:						Negative
Symptoms:						vomiting, headaches, gastrointestinal disturbances, nausea

SAFETY DATA SHEET

Revision date: 05.08.2016
 Revision number: 01
 MSDS number: IND-0081
 Page: 8/11

PREMSOFT AA 150
SECTION 12: ECOLOGICAL INFORMATION

Possibly more information on health effects, see section 2.1 (classification).

PREMSOFT AA 150							
Toxicity/effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
Toxicity to fish							n.d.a
Toxicity to daphnia							n.d.a
Toxicity to algae							n.d.a
Persistence and degradability							n.d.a
Bioaccumulative potential							n.d.a
Mobility in soil							n.d.a
Result of PBT and vPvB assessment							n.d.a
Other adverse effects							n.d.a

Cellulase							
Toxicity/effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
Toxicity to fish	LC50	96h	>39,5	mg/l		OECD 203 (fish,acute toxicity test)	
Toxicity to daphnia	EC50	48 h	>39,5	mg/l		OECD 202 (daphnia sp. Acute immobilisation test)	
Persistence and degradability						OECD 301 B (Ready biodegradability- Co2 evolution test)	Readily biodegradable
Bioaccumulative potential	Log Pow		<0				

1,2-benzisothiazol-3(2H)-one							
Toxicity/effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
Toxicity to fish	LC50	96 h	1,3-1,6	mg/l	Salmo gairdneri		
Toxicity to fish	LC50	96 h	2,18	mg/l	Oncorhynchus mykiss	OECD 203 (fish,acute toxicity test)	
Toxicity to fish	LC50	96 h	3,4	mg/l	Lepomis macrochirus		
Toxicity to daphnia	EC50	48 h	1,5-3,3	mg/l	Daphnia magna	OECD 202 (daphnia sp. Acute immobilisation test)	

SAFETY DATA SHEET

Revision date: 05.08.2016
 Revision number: 01
 MSDS number: IND-0081
 Page: 9/11

PREMSOFT AA 150

Toxicity to algae	EC50	72 h	0,11	mg/l	Pseudokirchnerie lla subcapitata	OECD 201 (Alga, Growth Inhibition test)	
Toxicity to algae	EC50	72 h	0,15	mg/l	Chlorella vulgaris		
Toxicity to algae	EC50	96 h	0,055	mg/l	Pseudokirchnerie lla		
Bioaccumulative potential	Log Pow		1,11				A notable biological accumulation potential is not to be expected (LogPow 1-3)
Toxicity to bacteria	EC50	16 h	0,4	mg/l	Pseudomonas putida		

SECTION 13: DISPOSAL CONSIDERATIONS
13.1 Waste treatment methods

Move disposal of waste in accordance with national legislation.

Move containers for waste disposal in accordance with regulations.

SECTION 14: TRANSPORT INFORMATION
General statements

UN-Number: n.a.

Transport by road/by rail (ADR/RID)

UN proper shipping name:

Transport hazard class(es): n.a.

Packing group: n.a.

Classification code: n.a.

LQ (ADR 2013): n.a.

LQ (ADR 2009): n.a.

Environmental hazards: n.a.

Tunnel restriction code: Not applicable

Transport by sea (IMDG-code)

UN proper shipping name:

Transport hazard class(es): n.a.

Packing group: n.a.

Marine Pollutant: n.a.

Environmental hazards: Not applicable

Revision date: 05.08.2016
Revision number: 01
MSDS number: IND-0081
Page: 10/11

PREMSOFT AA 150**Transport by air (IATA)**

UN proper shipping name:
Transport hazard class(es): n.a.
Packing group: n.a.
Environmental hazards: Not applicable

Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Non-dangerous material according to Transport Regulations.

SECTION 15: REGULATORY INFORMATION**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

For classification and labelling see Section 2.

Observe restrictions:

Comply with trade association/occupational health regulations.

SECTION 16: OTHER INFORMATION

These details refer to the product as it is delivered.

Classification in accordance with regulation (EC) No	Evaluation method used
Resp. Sens. 1, H334	Classification according to calculation procedure

The following phrases represent the posted R phrases / H phrases, Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

22 Harmful if swallowed.
38 Irritating to skin.
41 Risk of serious damage to eyes.
42 May cause sensitization by inhalation.
43 May cause sensitization by skin contact.
50 Very toxic to aquatic organisms.
H302 Harmful if swallowed.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H400 Very toxic to aquatic life.

Revision date: 05.08.2016
Revision number: 01
MSDS number: IND-0081
Page: 11/11

PREMSOFT AA 150

Resp. Sens. — Respiratory sensitization
Acute Tox. — Acute toxicity - oral
Skin Irrit. — Skin irritation
Eye Dam. — Serious eye damage
Skin Sens. — Skin sensitization
Aquatic Acute — Hazardous to the aquatic environment - acute

ADR	Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road)
AOX	Adsorbable organic halogen compounds approx.
CAS	Chemical Abstracts Service
DMEL	Derived Minimum Effect Level
DNEL	Derived No Effect Level
GHS	Globally Harmonized System of Classification and Labelling of Chemicals
IATA	International Air Transport Association
IMDG-code	International Maritime Code for Dangerous Goods
LC50	Lethal concentration 50 percent kill
LD50	Lethal Dose, 50% kill
MARPOL	International Convention for the Prevention of Marine Pollution from Ships
PBT	Persistent, bioaccumulative and toxic
RID	Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail)
SVHC	Substances of Very High Concern
vPvB	Very persistent and very bioaccumulative

Information in this MSDS are based on our current knowledge and the only possible use includes safety requirements.

This information does not guarantee any property. To comply with applicable laws and regulations with the product / the responsibility of the wearer.