

Revision date: 05.08.2016
Revision number: 02
MSDS number: IND-0066

Page: 1/8

**PREMSILIKON ST 8** 

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

**Trade name:** Premsilikon St 8

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture:

**Identified uses** Silicone softener

1.3. Details of the supplier of the safety data sheet

Indigo Kimya ve Tekstil Sanayi Tic.Ltd.Şti.

Telephone: 0212 486 07 07

Fax: 0212 486 30 22

e-mail: info@indigokimya.com.tr

Web: www.indigokimya.com

**Emergency telephone number:** The poison information center 114

# **SECTION 2: HAZARDS IDENTIFICATION**

# 2.1. Classification of the substance or mixture

Classification (EC/1272/2008)

Physical hazards Not Classified
Health hazards Eye Irrit. 2 - H319
Environmental hazards Not Classified

#### 2.2. Label elements

Pictogram



Signal word Warning

Hazard statements H319 Causes serious eye irritation.

Precautionary statements P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

P501 Dispose of contents/ container in accordance with local regulations.

# INDIGO Kimya ve Tekstil San. Tic. Ltd. Şti.

#### **SAFETY DATA SHEET**

Revision date: 05.08.2016
Revision number: 02
MSDS number: IND-0066
Page: 2/8

**PREMSILIKON ST 8** 

# 2.3 Other hazards

No information available

# **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

# 3.1. Substance

n.a.

### 3.2. Mixture

Alcohols, C12-14, ethoxylated	
EC Number	500-213-3
CAS	68439-50-9
Content%	1-5
Classification according to Regulation (EC) 1272/2008 (CLP)	Skin Irrit. 2 - H315
	Eye Dam. 1 - H318

Siloxanes and Silicones, 3-[(2-aminoethyl)amino]propyl Me, di-Me, hydroxy-terminated	
CAS	75718-16-0
Content%	1-5
Classification according to Regulation (EC) 1272/2008 (CLP)	Skin Irrit. 2 - H315

The full text for all hazard statements is displayed in Section 16.

# **SECTION 4: FIRST AID MEASURES**

# 4.1. Description of first aid measures

**Inhalation:** Move affected person to fresh air at once. Rinse nose and mouth with water. Get

medical attention if any discomfort continues.

**Ingestion:** Never give anything by mouth to an unconscious person. Do not induce vomiting.

Rinse mouth thoroughly with water. Get medical attention if any discomfort

continues.

**Skin contact:** Remove affected person from source of contamination. Remove contaminated

clothing. Wash skin thoroughly with soap and water. Get medical attention if any

discomfort continues.



Revision date: 05.08.2016
Revision number: 02
MSDS number: IND-0066
Page: 3/8

### **PREMSILIKON ST 8**

**Eye contact:** Remove affected person from source of contamination. Remove any contact lenses

and open eyelids wide apart. Continue to rinse for at least 15 minutes and get

medical attention.

4.2. Most important symptoms and effects, both acute and delayed

**Ingestion** May cause stomach pain or vomiting.

**Skin contact** Prolonged contact may cause redness, irritation and dry skin.

**Eye contact** Irritation of eyes and mucous membranes.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No recommendation given, but first aid may still be required in case of accidental

exposure, inhalation or ingestion of this chemical. If in doubt, GET MEDICAL

ATTENTION PROMPTLY! If in doubt, get medical attention promptly.

### **SECTION 5: FIRE-FIGHTING MEASURES**

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for

the surrounding fire.

5.2. Special hazards arising from the substance or mixture

**Specific hazards** No unusual fire or explosion hazards noted.

5.3. Advice for firefighters

**Protective actions during** Avoid breathing fire gases or vapours. Fight fire from safe distance or

**firefighting** protected location.

Special protective equipment Use air-supplied respirator, gloves and protective goggles. Wear positive-

for firefighters pressure selfcontained breathing apparatus (SCBA) and appropriate

protective clothing.

# **SECTION 6: ACCIDENTAL RELEASE MEASURES**

# 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Wear protective clothing as described in Section 8 of this safety data sheet.

Avoid contact with skin and eyes. Provide adequate ventilation.

6.2. Environmental precautions

**Environmental precautions** Avoid discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth

and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.



Revision date: 05.08.2016 Revision number: 02 IND-0066 MSDS number: Page: 4/8

### **PREMSILIKON ST 8**

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. See Section 11 for additional

information on health hazards. For waste disposal, see section 13.

## **SECTION 7: HANDLING AND STORAGE**

# 7.1. Precautions for safe handling

**Usage precautions** Avoid spilling. Avoid contact with skin and eyes. Eye wash facilities and emergency

> shower must be available when handling this product. Do not eat, drink or smoke when using the product. Good personal hygiene procedures should be implemented.

Do not wear contact lenses.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly-closed, original container in a dry, cool and well-ventilated place. **Storage precautions** 

Keep away from food, drink and animal feeding stuffs.

Storage class Chemical storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

# **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

8.1. Control parameters

**Ingredient comments** WEL = Workplace Exposure Limits

8.2. Exposure controls **Protective equipment** 





Appropriate engineering

controls

Eye/face protection

Provide adequate ventilation. Avoid inhalation of vapours. Observe any

occupational exposure limits for the product or ingredients.

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection

should be worn: Chemical splash goggles or face shield.

**Hand protection** Chemical-resistant, impervious gloves complying with an approved

standard should be worn if a risk assessment indicates skin contact is

possible.

Other skin and body

protection

Wear appropriate clothing to prevent any possibility of skin contact.



Revision date: 05.08.2016
Revision number: 02
MSDS number: IND-0066
Page: 5/8

### **PREMSILIKON ST 8**

**Hygiene measures** Do not smoke in work area. Wash hands at the end of each work shift and

before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin.

When using do not eat, drink or smoke.

**Respiratory protection**No specific recommendations. Respiratory protection may be required if

excessive airborne contamination occurs.

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

9.1. Information on basic physical and chemical properties

Appearance Liquid. Colour Cloudy

OdourCharacteristic.pH $6.5 \pm 0.5$ 

9.2. Other information

Other information Not available.

# **SECTION 10: STABILITY AND REACTIVITY**

10.1. Reactivity

**Reactivity** There are no known reactivity hazards associated with this product.

10.2. Chemical stability

**Stability** Stable at normal ambient temperatures.

10.3. Possibility of hazardous reactions

**Possibility of hazardous** Not available.

reactions

10.4. Conditions to avoid

**Conditions to avoid** Avoid excessive heat for prolonged periods of time.

10.5. Incompatible materials

Materials to avoid Strong acids. Strong alkalis. Strong oxides.

10.6. Hazardous decomposition products

**Hazardous decomposition** Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2).

products



Revision date: 05.08.2016
Revision number: 02
MSDS number: IND-0066
Page: 6/8

### **PREMSILIKON ST 8**

### **SECTION 11: TOXICOLOGICAL INFORMATION**

11.1. Information on toxicological effects

**Toxicological effects** No data recorded.

Acute toxicity - oral

**ATE oral (mg/kg)** 18,518.52

**Inhalation** Gas or vapour in high concentrations may irritate the respiratory system.

Symptoms following overexposure may include the following: Coughing.

**Ingestion** May cause discomfort if swallowed.

**Skin contact** Liquid may irritate skin.

**Eye contact** Irritating to eyes.

#### **SECTION 12: ECOLOGICAL INFORMATION**

**Ecotoxicity** Not regarded as dangerous for the environment.

**12.1. Toxicity** no information

**Toxicity** 

12.2. Persistence and degradability

**Persistence and degradability** There are no data on the degradability of this product.

12.3. Bioaccumulative potential

**Bioaccumulative potential** No data available on bioaccumulation.

12.4. Mobility in soil

**Mobility** The product is non-volatile. The product is soluble in water.

12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB**None known.

assessment

12.6. Other adverse effects

Other adverse effects None known.

# **SECTION 13: DISPOSAL CONSIDERATIONS**

# 13.1. Waste treatment methods

**Disposal methods** Dispose of waste to licensed waste disposal site in accordance with the

requirements of the local Waste Disposal Authority. Environmental

Manager must be informed of all major spillages.



Revision date: 05.08.2016
Revision number: 02
MSDS number: IND-0066
Page: 7/8

**PREMSILIKON ST 8** 

### **SECTION 14: TRANSPORT INFORMATION**

**General** The product is not covered by international regulations on the transport

of dangerous goods (IMDG, IATA, ADR/RID).

Road transport notes

Rail transport notes

Not classified.

Not classified.

Not classified.

Air transport notes

Not classified.

Not classified.

**14.1. UN number** Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to

Annex II of MARPOL 73/78 Not applicable.

and the IBC Code

# **SECTION 15: REGULATORY INFORMATION**

National regulations T.C. Çevre ve Şehircilik Bakanlığı, 13 Aralık 2014 tarihli, 29204 Sayılı, ZARARLI

MADDELER VE KARIŞIMLARA İLİŞKİN GÜVENLİK BİLGİ FORMLARI HAKKINDA

YÖNETMELİK.

Kimyasal Maddelerle Çalışmalarda Sağlık ve Güvenlik Önlemleri Hakkında Yönetmelik. Bazı Tehlikeli Maddelerin, Müstahzarların ve Eşyaların Üretimine, Piyasaya Arzına ve

Kullanımına İlişkin Kısıtlamalar Hakkında Yönetmelik.

İş Sağlığı ve Güvenliği Yönetmeliği.

**Guidance** Workplace Exposure Limits EH40.

CHIP for everyone HSG228.



Revision date: 05.08.2016
Revision number: 02
MSDS number: IND-0066
8/8

# **PREMSILIKON ST 8**

Safety Data Sheets for Substances and Preparations.

Approved Classification and Labelling Guide (Sixth edition) L131.

This SDS is prepared based on the information received from the product

# 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

# **SECTION 16: OTHER INFORMATION**

Key literature references and sources for data

rces for data raw material.
ard statements in full H302 Harmful if swallowed.

H315 Causes skin irritation.

Hazard statements in full

H318 Causes serious eye damage. H319 Causes serious eye irritation.