

Revision date:	05.08.2016
Revision number:	01
Page:	1/5

PREMMATIK OX

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product	identifier	
Trade name	: Premmatik Ox	
Chemical na	me: Low foam granular laundry detergent	
1.2 Relevan	t identified uses of the substance or mixture and uses advised against	
Relevant identified uses of the substance or mixture:		
Textile used	for cleaning.	
1.3 Details of the supplier of the safety data sheet		
İndigo Kimya ve Tekstil Sanayi Tic.Ltd.Şti.		
Telephone:	0212 486 07 07	
Fax:	0212 486 30 22	
e-mail:	<u>info@indigokimya.com.tr</u>	
Web:	www.indigokimya.com	
Emergency	telephone number: The poison information center 114	

SECTION 2: HAZARDS IDENTIFICATION



H319 - Causes serious eye irritation

Health Hazards (Acute and Chronic):

nearth hazards (Acate and enrolle).		
Ingestion	: May cause transient gastrointestinal irritation.	
Eye Contact	: Contact may cause mild, transient irritation.	
Inhalation	: Heavy exposure to dust may cause transient respiratory tract irritation. Prolonged	
	heavy exposure to dust may cause respiratory sensitization.	
Signs and Symptoms of Exposure:		
Ingestion	: Possible mild gastrointestinal irritation with nausea, vomiting, and/or diarrhea.	
Eye Contact	: Eye contact with the product or its aqueous solution may produce transient	
	superficial irritation	
Skin	: None.	
Inhalation	: Heavy exposure to dust may cause transient respiratory tract irritation.	



Revision date:	05.08.2016
Revision number:	01
Page:	2/5

PREMMATIK OX

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixture

Chemical name	CAS no	Composition Range	CLP	LD 50 and/or LC50
Sodium Carbonate	497-19-8	40-60 %	Eye Irrit. 2;H319	1.9 g/kg (rats/oral)
Alcohols Ethoxylate (68131-39-5	8-12 %	Eye Irrit. 2;H319	1.0-3.0 g/kg (rats/oral)
C12-15)				
Silicate	1344-09-8	3-7%	N/K	1.3 g/kg (rats/oral)
Linear Alkyl Benzene	68081-81-2	1-5 %	N/K	0.7-1.3 g/kg (rats/oral)
Sulfonate	00001-01-2	1-2 %	IN/K	0.7-1.3 g/kg (lats/0lal)

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Ingestion	: Give milk or water.
Eye Contact	: Flush eyes with water for 15 minutes.
Skin	: Rinse exposed area with water.
Inhalation	: Leave dusty area. In rare cases a respiratory reaction can occur which may include tightness of chest and difficulty breathing. If this occurs, seek medical attention immediately.

SECTION 5: FIRE-FIGHTING MEASURES

5.1 Suitable extinguishing media:	Water jet spray/	Water jet spray/ foam/CO2/dry extinguisher	
5.2 Special Fire Fighting Procedures:	None.	None.	
5.3 Special hazards arising from the subst	ance or mixture:	After-burning or heat decomposition and	
		dangerous gases.	
5.4 Advice for firefighters: With	Without breathing apparatus and chemical protection Do not stay in		
dange	erous areas.		

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Avoid formation and deposition of dust.

6.2 Environmental precautions

Environmental precautions: Do not empty into drains or waters



Revision date:	05.08.2016
Revision number:	01
Page:	3/5

PREMMATIK OX

6.3 Methods and material for containment and cleaning up

Methods for cleaning up/taking up: Take up spilled product with dust-binding material or suitable vacuum cleaner. Fill into labelled, sealable containers.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Avoid skin contact and breathing product dust. Store in a cool, dry place. Keep product dry to maintain free-flowing granules

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Ensure good ventilation. 8.1 Personal Protective Equipment Respiratory Protection



Use full face mask during use.

Eye/Face Protection

Use goggles to prevent contact with the eyes during use.

Hand Protection



OTO

The glove material must be impermeable and resistant to the substance used.

Body Protection



Impervious clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state:	solid, granular
Colour:	White
Solubility in Water:	Mostly soluble at 20°C



Revision date:	05.08.2016
Revision number:	01
Page:	4/5

PREMMATIK OX

SECTION 10: STABILITY AND REACTIVITY

Possible Hazardous Reactions/Conditions	: None known.
Conditions to Avoid	: Open flame.
Materials to Avoid	: None known.
Hazardous Decomposition Products	: None known.
Other Recommendations	: None

SECTION 11: TOXICOLOGICAL INFORMATION

LD50 (rats oral)	: 2.8 - 7.1 g/kg
ED50 approx.	15-120 mg/kg

SECTION 12: ECOLOGICAL INFORMATION

No concerns at relevant environmental concentrations. This product contains an anionic surfactant that has an aquatic 96 hr LC50 of 0.92 ppm. However, risk assessments on the finished product confirm objective safety of itsusage because of the removal and biodegradability kinetics of the surfactant. The surfactant is rapidly biodegradable under Aerobic and anaerobic conditions (protocols: OECD 301-B and ECETOC 1988, respectively). The level of biodegradation in both conditions is >70%. Its removal in municipal sewage treatment is expected to be >99% based on standard laboratory test methods.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Environmental Manager must be informed of all major spillages.

SECTION 14: TRANSPORT INFORMATION

General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).
Road transport notes	Not classified.
Rail transport notes	Not classified.
Sea transport notes	Not classified.
Air transport notes	Not classified.



Revision date:	05.08.2016
Revision number:	01
Page:	5/5

PREMMATIK OX

SECTION 15: REGULATORY INFORMATION

No components are affected by Significant New Use Rules (SNURs) under TSCA §5. Sodium carbonate (497-19-8) is listed on the Canadian WHMIS Ingredient Disclosure List (IDL) as item number 1431, with a threshold of 1%.

SECTION 16: OTHER INFORMATION

This SDS is prepared based on the information received from the product raw material.

Information in this MSDS are based on our current knowledge and the only possible use includes safety requirements. This information does not guarantee any property. To comply with applicable laws and regulations with the product / the responsibility of the wearer.